

EDS • PO Box 13029 • Sacramento, CA • 95813-4029

www.medi-cal.ca.gov

Pharmacy Bulletin 637

August 2006

| Contents | |
|--|---|
| Medi-Cal List of Contract Drugs | 1 |
| FUL List Updates | |
| Medical Supply Products Updates | |
| Billing Code Updates for Urological Products | 6 |
| Adult Briefs Incontinence Supplies Addition | |
| Respiratory Syncytial Virus (RSV) Update 2006 | |
| Intracranial Hemorrhage Events in Patients Receiving Aptivus (tipranavir) Capsules | |
| | |

Medi-Cal List of Contract Drugs

The following provider manual sections have been updated: *Drugs: Contract Drugs List Part 1 – Prescription Drugs, Drugs: Contract Drugs List Part 2 – Over-the-Counter Drugs* and *Drugs: Contract Drugs List Part 4 – Therapeutic Classifications Drugs.*

Addition, effective July 14, 2006

| Drug ‡* EFAVIRENZ AND EMTRICITABINE AND TENOFOVIR DISOPROXIL FUMARATE | Size and/or Strength | Billing Unit |
|---|---|--------------|
| Tablets | 600 mg/200 mg/300 mg | ea |
| * Restricted to use as a stand-alone therapy of Immunodeficiency Virus (HIV) infection. | or in combination therapy in the treatmer | nt of Human |

Addition, effective September 1, 2006

| Drug PIOGLITAZONE HCL/METFORMIN HCL | Size and/or Strength | <u>Billing Unit</u> |
|-------------------------------------|----------------------|---------------------|
| + Tablets | 15 mg/500 mg | ea |
| | 15 mg/850 mg | ea |

Change, effective July 23, 2006

| Drug CLARITHROMYCIN | Size and/or Strength | Billing Unit |
|--|---|-----------------|
| Tablets, extended release | 500 mg | ea |
| ‡ Tablets | 250 mg | ea |
| | 500 mg | ea |
| (NDC labeler code 00074 [Abbott Labora | tories] for tablets only.) (NDC labeler cod | e 00074 [Abbott |
| Laboratories] for tablets only for claim | ns submitted with dates of service from | August 1, 2005 |
| through July 23, 2006.) | | |

⁺ Frequency of billing requirement

Please see Contract Drugs, page 3

EDS/MEDI-CAL HOTLINES

| Border Providers | .(916) 636-1200 |
|---|-----------------|
| CDHS Medi-Cal Fraud Hotline | 1-800-822-6222 |
| Telephone Service Center (TSC) | 1-800-541-5555 |
| Provider Telecommunications Network (PTN) | 1-800-786-4346 |

EDS • PO Box 13029 • Sacramento, CA • 95813-4029

For a complete listing of specialty programs and hours of operation, please refer to the Medi-Cal Directory in the provider manual.



OPT OUT is a service designed to save time and increase Medi-Cal accessibility. A monthly e-mail containing direct Web links to current bulletins, manual page updates, training information, and more is now available. Simply "opt-out" of receiving this same information on paper, through standard mail. To download the OPT-OUT enrollment form or for more information, go to the Medi-Cal Web site at **www.medi-cal.ca.gov**, and click the "Learn how..." OPT OUT link on the right side of the home page.

Stop Illegal Tobacco Sales

The simplest way to stop illegal tobacco sales to minors is for merchants to check ID and verify the age of the tobacco purchasers. Report illegal tobacco sales to 1-800-5-ASK-4-ID.

For more information, see the California Department of Health Services Web site at http://www.dhs.ca.gov.

MEDI-CAL FRAUD

IS AGAINST THE

LAW

MEDI-CAL FRAUD COSTS TAXPAYERS MILLIONS EACH YEAR AND CAN ENDANGER THE HEALTH OF CALIFORNIANS.

HELP PROTECT MEDI-CAL AND YOURSELF BY REPORTING YOUR OBSERVATIONS TODAY.

CDHS MEDI-CAL FRAUD HOTLINE

1-800-822-6222

THE CALL IS FREE AND YOU CAN REMAIN ANONYMOUS.

Knowingly participating in fraudulent activities can result in prosecution and jail time. Help prevent Medi-Cal fraud.

Contract Drugs (continued)

Change, effective September 1, 2006

| Drug | Size and/o | or Strength | Billing Unit |
|--|------------------|-------------|--------------|
| DICALCIUM PHOSPHATE WITH OR WITHOUT VITAMIN D | | | |
| Capsules, tablets or wafers | <u>105 mg</u> | | ea |
| ESOMEPRAZOLE MAGNESIUM | | | |
| Capsules, delayed release | 20 mg | | ea |
| (NDC labeles and 00496 [ASTRAZENECA L | 40 mg | | ea |
| (NDC labeler code 00186 [ASTRAZENECA LE | <u> </u> | | |
| PILOCARPINE | | | |
| Ophthalmic gel | 4 % | 3.5 Gm | Gm |
| | | 5 Gm | Gm |
| Ophthalmic solution | 1/4 % | 15 cc | CC |
| | 1/2 % | 15 cc | CC |
| | | 30 cc | CC |
| Ophthalmic solution | 1 % | 15 cc | CC |
| | | 30 cc | CC |
| | 2 % | 15 cc | CC |
| | | 30 cc | CC |
| | 3 % | 15 cc | CC |
| | | 30 cc | CC |
| | 4 % | 15 cc | CC |
| | | 30 cc | CC |
| | 5 % | 15 cc | CC |
| | 6 % | 15 cc | CC |
| | | 30 cc | CC |
| | 8 % or 10 | % | CC |
| Tablets | 5 mg | | ea |
| | <u>7.5 mg</u> | | <u>ea</u> |
| (NDC labeler code 58063 [MGI Pharma] for | | | |
| ** For labeler code restriction only, effecti | ve date is Octob | er 1, 2006 | |
| * QUETIAPINE FUMARATE | | | |
| Tablets | 25 mg | | ea |
| | 100 mg | | ea |
| | 200 mg | | ea |
| | 300 mg | | ea |
| | 400 mg | | <u>ea</u> |
| * Restricted to individuals 6 years of age and old | der. | | |

Please see Contract Drugs, page 4

Contract Drugs (continued)

Change, effective October 1, 2006

| Drug ‡* EMTRICITABINE | Size and/or Strength | Billing Unit |
|--|---|-----------------------|
| Capsules | 200 mg | ea |
| Oral Solution | <u>10 mg/ml</u> | cc |
| * Restricted to use as combination therapy ir infection. | n the treatment of Human Immunodeficie | ency Virus (HIV) |
| * MELOXICAM | | |
| Tablets | 7.5 mg | ea |
| | 15 mg | ea |
| * Restricted to use for arthritis. | | |
| Note: Subject to Step Therapy edits. S information. | see Drugs: Contract Drugs List Part 8 – 3 | Step Therapy for more |
| (NDC labeler code 00597 [BOEHRINGER IN | IGELHEIM PHARMACEUTICALS]) | |

These updates are reflected on manual replacement pages <u>drugs cdl p1a 30</u> (Part 2), <u>drugs cdl p1b 1, 5 and 44</u> (Part 2), <u>drugs cdl p1c 21, 22 and 31</u> (Part 2), <u>drugs cdl p2 5</u> (Part 2) and <u>drugs cdl p4 6 and 14</u> (Part 2).

FUL List Updates

The Drugs: MAIC and FUL List section has been updated with the Federal Upper Limit (FUL) list changes as noted below:

Additions, effective July 23, 2006

| Drug Acetaminophen; Oxycodone Hydrochloride | <u>Strength</u> | <u>FUL</u> | Billing Unit |
|--|---|------------------|--------------|
| Tablets | 650 mg/10 mg | \$1.4187 | ea |
| Clarithromycin | | | |
| Tablets | 250 mg 500 mg | 2.3725 2.3725 | ea ea |
| Clindamycin Phosphate | | | |
| Topical (swab) | 1% | 0.6300 | ea |
| Cyclobenzaprine Hydrochloride | | | |
| Tablets | 5 mg | 0.2475 | ea |
| Dexamethasone; Neomycin Sulfate; Polymyxin B S | Sulfate | | |
| Ophthalmic Ointment | 0.1%; EQ 3.5 mg/Base/gm 10,000 units/gm | 1.0714 | gm |
| Digoxin | | | |
| Tablets | 0.125 mg 0.25 mg | 0.2132 0.2132 | ea ea |
| Zonisamide | | | |
| Capsules | 50 mg | 1.0218 | ea |

Please see FUL List, page 5

FUL List (continued)

Deletions, effective July 23, 2006

| <u>Drug</u> Albuterol | <u>Strength</u> | <u>FUL</u> | Billing Unit |
|---|------------------------------|------------|--------------|
| Metered-dose inhaler, with or without adaptor | 0.09mg/inhalation | 0.4367 | Gm |
| Dexamethasone with Neomycin and Polymyxin Ophthalmic Ointment | 0.1% - 0.35% - 10,000U/Gm | 1.0713 | Gm |

Increases, effective July 23, 2006

| <u>Drug</u> Desipramine Hydrochloride | <u>Strength</u> | <u>FUL</u> | Billing Unit |
|--|-----------------|------------|--------------|
| Tablets, oral | 50 mg | 0.5339 | ea |

Decreases, effective July 23, 2006

| <u>Drug</u> Cyclobenzaprine HCl | <u>Strength</u> | <u>FUL</u> | Billing Unit |
|------------------------------------|-----------------|---------------|--------------|
| Tablets | 10 mg | <u>0.1302</u> | ea |

These changes are reflected on manual replacement pages drugs maic ful 1, 2, 10, 12, 13 and 38 (Part 2).

Medical Supply Products Updates

Effective for dates of service on or after September 1, 2006, the following diabetic supply products for Hypoguard USA have been added to the *Medical Supplies List* section:

| Description | <u>UPN</u> | Bill Quantity in Total Number of |
|--|-------------|-------------------------------------|
| Haemolance Plus Micro Flow (28 gauge) | 08317990250 | Lancet |
| Haemolance Plus Micro Flow (28 gauge) | 08317990200 | Lancet |
| Haemolance Plus Low Flow (25 gauge) | 08317990900 | Lancet |
| Haemolance Plus Normal Flow (21 gauge) | 08317990700 | Lancet |
| Assure Pro Test Strips 50 ct. | 08317460050 | Strip |
| Assure Pro Test Strips 100 ct. | 08317460100 | Strip |

Effective for dates of service on or after August 1, 2006, the following diabetic supply product for Abbott Laboratories Inc., MediSense Products has been added to the *Medical Supplies List*. Also, effective for dates of service after October 31, 2006, the following diabetic supply product has been end dated for Abbott Laboratories Inc., MediSense Products:

| | <u>Description</u> | <u>UPN</u> | Bill Quantity in Total Number of |
|-------------|----------------------------|-------------|----------------------------------|
| Add | Precision Xtra Beta Ketone | 57599074501 | Strip |
| Discontinue | Precision Xtra Beta Ketone | 57599881508 | Strip |

These products are reimbursable to Pharmacy providers only, and must be billed using the Point of Service (POS) network, Computer Media Claims (CMC) or paper.

These updates are reflected on manual replacement pages mc sup 1st1 15 and 18 (Part 2).

Billing Code Updates for Urological Products

Effective for dates of service on or after October 1, 2006, the following billing code updates shall apply:

- All billing codes with the Mentor manufacturer's Medi-Cal Code NR are no longer reimbursable, except for billing code 9943N. Coloplast Corporation purchased the Mentor Corporation urologicals division on June 2, 2006. However, billing code 9943N is still reimbursable with the manufacturer billing code NR. Therefore, the following billing codes with manufacturer's billing code NR are no longer reimbursable: 9912R, 9913P, 9913R, 9913S, 9913T, 9913W, 9914H, 9914K, 9914L, 9914M, 9915Y, 9919J, 9919P, 9919S, 9919T, 9919W, 9919Y, 9959N, 9981E, 9981F, 9981H, 9981J, 9981K, 9981T, 9991K, 9991L, 9991M, 9992H, 9992J, 9992K, 9993E, 9993F, 9993H, 9993J, 9993N, 9993P, 9993R, 9999A.
- The following billing codes, with manufacturer's billing code MN, are no longer reimbursable: 9912R, 9912S, 9913J, 9913R, 9915Y, 9919J, 9959N and 9992H.
- All Sierra Laboratories, Inc. billing codes, with manufacturer's billing code YE, are no longer reimbursable. Those codes are 9991B, 9991D, 9991E, 9991F, 9994A and 9994B.
- The following billing codes, for products manufactured by Coloplast, are reimbursable with the manufacturer's billing code JN: 9912R, 9912S, 9913J, 9913R, 9913S, 9913T, 9913W, 9914F, 9914G, 9914H, 9914I, 9914J, 9914K, 9914L, 9914M, 9914N, 9914O, 9915Y, 9919J, 9919P, 9919S, 9919T, 9919W, 9919Y, 9959N, 9981D, 9981E, 9981F, 9981H, 9981J, 9981K, 9981T, 9992H, 9992J, 9992K, 9993N, 9993P and 9993R.

These updates are reflected on manual replacement pages mc sup lst4 3, 4, 5, 7, 17 thru 19 and 25 (Part 2) and mc sup man cd 6 and 7 (Part 2).

Adult Briefs Incontinence Supplies Addition

Effective for dates of service on or after July 1, 2006, providers can purchase three (3) <u>additional</u> disposable incontinence briefs from Medline Industries at or below the Maximum Acquisition Cost (MAC) in the list below. Reimbursement to providers for the following products begins for dates of service on or after July 1, 2006.

All manufacturers' products not included in a contract and not appearing in the provider manual are not a Medi-Cal benefit, are not granted prior authorization with a *Treatment Authorization Request* (TAR) and are not reimbursable.

| Size | <u>Description</u> | Stock Number | UPN/UPC | Medi-Cal Guaranteed Acquisition and Maximum Allowable Cost | Billing Code |
|-------|-------------------------------|--------------|-------------|--|-----------------|
| Youth | Protection Plus Classic Brief | MSC**95100 | 80196701446 | \$0.3064 | 9997Q |
| Small | Protection Plus Contour Brief | MSC**94250 | 80196762423 | \$0.3150 | 9997T |
| Small | Ultra Soft Brief | MSC**97250 | 80196735878 | \$0.3150 | 9997T |

These updates are reflected on manual replacement pages incont lst1 3 and 4 (Part 2).

Respiratory Syncytial Virus (RSV) Update 2006

The California Department of Health Services (CDHS) and MedImmune, Inc. invites providers to participate in a live interactive Webcast at **www.livemeeting.com/cc/medimmune/join**. The event features presentations by:

- Vincent A. Haynes, M.D., FAAP Director, Medical Sciences for MedImmune, Inc., and Clinical Associate and Professor of Pediatrics at USC School of Medicine.
- Barry Handon, M.D. Medical Consultant for Medi-Cal Policy Division for CDHS
- Kathy Chance, M.D. Medical Consultant for Children's Medical Services for CDHS

Please see RSV Update, page 7

RSV Update (continued)

Objectives

- Discuss the epidemiology of Respiratory Syncytial Virus (RSV)
- Define the risk factors for severe lower respiratory disease caused by RSV
- Identify RSV prevention strategies
- Discuss recent Medi-Cal policy changes for Synagis (palivizumab)

When

The same webcast will be offered at the following two dates and times:

Monday Tuesday

September 25, 2006 September 26, 2006 12 – 1:30 p.m. 12 – 1:30 p.m.

The only requirement necessary to join the Webcast is a telephone near a computer with an Internet connection. To listen to the audio portion, call 1-866-897-4137 and enter participant code **9259730261**. To view the webcast, log on to the Web site at **www.livemeeting.com/cc/medimmune/join** and enter the following information:

- Your name
- The following Meeting ID number: CJ8M69
- Leave the Meeting Key field blank

Webcast viewers should log on to **go.microsoft.com/fwlink/?linkid=52354** prior to the day of the Webcast (but no later than 15 minutes before the Webcast) to make sure their system is compatible with Microsoft Office Live Meeting. For technical support with the Webcast, please call 1-800-374-1852.

Intracranial Hemorrhage Events in Patients Receiving Aptivus (tipranavir) Capsules

On June 30, 2006, Boehringer Ingelheim (BI) disseminated a letter to inform health professionals of new safety information for Aptivus (tipranavir) capsules co-administered with ritonavir, 500 mg/200 mg BID.

- BI has identified 14 Intracranial Hemorrhage (ICH) events, including eight fatalities, in 13 out of 6,840 HIV-1 infected individuals receiving Aptivus (tipranavir) capsules, as part of combination antiretroviral therapy, in clinical trials.
- Many of the patients in the Aptivus clinical development program had other medical conditions (CNS lesions, head trauma, recent neurosurgery, coagulopathy, hypertension or alcohol abuse) or were receiving concomitant medications, including anticoagulants and antiplatelet agents, that may have caused or contributed to these events.

BI has added a new paragraph to the boxed warning section of the package insert that reads as follows:

APTIVUS CO-ADMINISTERED WITH 200 MG RITONAVIR HAS BEEN ASSOCIATED WITH REPORTS OF BOTH FATAL AND NON-FATAL INTRACRANIAL HEMORRHAGE. (SEE WARNINGS)

Although ICH has occurred in Medi-Cal recipients receiving the Aptivus/ritonavir combination, a causal relationship cannot be established. It should be noted that patients with advanced HIV disease have an increased risk for ICH. Medi-Cal providers should inform patients that Aptivus co-administered with 200mg of ritonavir has been associated with reports of both fatal and non-fatal ICH. In addition, such patients should be encouraged to report any unusual or unexplained bleeding to their physician or pharmacist. Special consideration should be given to patients who are at increased risk for bleeds or are taking medications known to increase bleeding.

Adverse reactions should be reported to the FDA MedWatch program by telephone at 1-800-332-1088, by FAX at 1-800-332-0178, via **www.FDA.gov/medwatch**, or by mail to MedWatch; HF-2; FDA 5600 Fishers Lane; Rockville, MD 20857.

Instructions for Manual Replacement Pages August 2006

Part 2

Pharmacy Bulletin 637

Remove and replace: drugs cdl p1a 29/30

drugs cdl p1b 1/2, 5/6 and 43/44 drugs cdl p1c 21/22 and 31/32

drugs cdl p2 5/6

drugs cdl p4 5/6 and 13/14

drugs maic ful 1/2, 9 thru 14 and 37/38

incont lst 3/4

mc sup lst1 15 thru 18

mc sup lst4 3 thru 8, 17 thru 20 and 25/26

mc sup man cd 5 thru 8